

HP LaserJet Managed MFP E730 Printer series



Powerful performance so work flows faster

Change is the only constant in business. Advance your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers ² you'll stay secure and simplify fleet management for busy IT pros.

Unleash peak productivity.

- Tackle anything with our powerful processor. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Increase your day-to-day productivity with our industry leading, single pass 120 ipm ⁶ duplex scanning.
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 8-inch color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart ¹ firmware.
- Centralize control of your printing environment with HP Web Jetadmin ⁵— and help build business efficiency.

Customizable solutions built to last.

- Make your day-to-day more productive with customized experiences with cloud-connected HP Workpath apps ⁷ that let you access personalized content, integrate paper and digital workflows.
- Unleash your creativity and match any office decor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform, containing hundreds of HP and third-party solutions as well as card reader support.

Always on guard with HP Wolf Security. ⁴

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified ³ to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.
- Minimize exposure with whitelisting checks, firmware that is automatically checked during start-up to determine if it's authentic code – digitally signed by HP.

Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content. ⁸
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic. ⁹ Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel. ¹⁰
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet. ¹¹

Product walkaround

Series at a glance

Model	HP LaserJet Managed MFP E73025dn	HP LaserJet Managed MFP E73030dn
Product number	35J03A	35J04A

Configurable Items, Accessories, Supplies and Support

Service and Support	<p>U04NCE - HP 1 year Next Business Day with DMR Service for LaserJet Managed MFP E730xx</p> <p>U04NDE - HP 3 year Next Business Day with DMR Service for LaserJet Managed MFP E730xx</p> <p>U04NFE - HP 4 year Next Business Day with DMR Service for LaserJet Managed MFP E730xx</p> <p>U04NGE - HP 5 year Next Business Day with DMR Service for LaserJet Managed MFP E730xx</p> <p>U04NHE - HP 3 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E730xx</p> <p>U04NJE - HP 4 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E730xx</p> <p>U04NKE - HP 5 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E730xx</p> <p>U04NLE - HP 1 year Parts Exchange w/DMR Service for LaserJet Managed MFP E730xx (Managed Component Only)</p> <p>U04NME - HP 3 year Parts Exchange w/DMR Service for LaserJet Managed MFP E730xx (Managed Component Only)</p> <p>U04NNE - HP 4 year Parts Exchange w/DMR Service for LaserJet Managed MFP E730xx (Managed Component Only)</p> <p>U04NQE - HP 5 year Parts Exchange w/DMR Service for LaserJet Managed MFP E730xx (Managed Component Only)</p> <p>U04NRPE - HP 1 year Post Warranty Next Business Day with DMR Service for LaserJet Managed MFP E730xx</p> <p>U04NSPE - HP 2 year Post Warranty Next Business Day with DMR Service for LaserJet Managed MFP E730xx</p> <p>U04NTPE - HP 1 year Post Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E730xx</p> <p>U04NVPE - HP 2 year Post Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E730xx</p> <p>U04NWPE - HP 1 year PW Parts Exchange w/DMR Service for LaserJet Managed MFP E730xx (Managed Component Only)</p> <p>U04NXPE - HP 2 year PW Parts Exchange w/DMR Service for LaserJet Managed MFP E730xx (Managed Component Only)</p> <p>U9PR6E - HP A3 Installation Service for E7xxxx/E8xxxx MFP</p>
---------------------	--

Technical specifications

Model	HP LaserJet Managed MFP E73025dn	HP LaserJet Managed MFP E73030dn
Product number	3SJ03A	3SJ04A
Functions	Print, copy, scan, fax (optional)	
Control panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker	
Print		
Print technology	Laser	
Print speed ³	Black (A4, normal) Up to 25 ppm ; Black (A4, duplex) : Up to 19 ipm ; Black (A3, normal) : Up to 13 ppm	Black (A4, normal) Up to 30 ppm ; Black (A4, duplex) : Up to 20 ipm ; Black (A3, normal) : Up to 15 ppm
First page out ⁴	Black (A4, ready) : As fast as 9.7 sec ; Black (A4, sleep) : As fast as 17.5 sec (15 min)	Black (A4, ready) : As fast as 9.3 sec ; Black (A4, sleep) : As fast as 16.8 sec (15 min)
Print resolution	Black (best) : Up to 1200 x 1200 dpi reduced speed ; Technology : Normal (600 x 600 4 bit); Best (1200 x 1200 1 bit)	
Monthly duty cycle	Up to 60,000 pages A4; Recommended monthly page volume : Up to 16,000	Up to 80,000 pages A4; Recommended monthly page volume : Up to 16,000
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB	
Standard print languages	HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible	
Fonts and typefaces	84 scalable TrueType fonts	
Print area	Print margins Top: 4.23 mm, Bottom: 4.23 mm, Left: 4.23 mm, Right: 4.23 mm; Maximum print area: 288.5 X 423.5 mm	
Duplex printing	Automatic	
Copy		
Copy speed	Black (A4) : Up to 25 cpm	Black (A4) : Up to 30 cpm
Copier specifications	Auto-fit; Booklet; Collation; Content orientation; Edge Erase; Image adjustment; Job build; N or Z-ordering; N-up; Optimize; Two-sided copy; Watermark; reduce/enlarge; Scan mode (book, 2-sided ID); Stamps; Image overlay; Image shift; Image preview; Paper selection; Blank page suppression; Scan to job storage ; Maximum number of copies : Up to 9999 copies ; Reduce/Enlarge : 25 to 400%	
Scan		
Scan speed ⁵	Normal (A4) : Up to 60 ppm/120 ipm (b&w), up to 60 ppm/120 ipm (color)	Normal (A4) : Up to 60 ppm/120 ipm (b&w), up to 60 ppm/120 ipm (color); Duplex (A4) : Up to 120 ipm (b&w), up to 120 ipm (color)
Scan file format ⁶	Hi-Compression PDF; JPG; MTIFF; PDF; PDF/A; TIFF; XPS	
Scanner specifications	Scanner type : ADF; Flatbed; Scan technology : Contact Image Sensor (CIS); Scan input modes : Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications; Twain version : Version 2.4; Duplex ADF scanning : Yes; Scan size maximum (flatbed) : 297 x 432 mm; Optical scan resolution : Up to 600 x 600 dpi	
Scannable area	Maximum media size (flatbed) : 297 x 432 mm; Minimum media size (ADF) : 105 x 127 mm Maximum media size (ADF) : 297 x 864 mm	
Bit depth/ Grey scale levels	24-bit / 256	
Digital sending	Standard: Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten	
Fax		
Fax	Optional,	
Fax specifications	Fax memory : Up to 500 pages; Fax resolution : Standard: 203 x 98 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing : Up to 1000 numbers (each with 210 destinations)	
Processor speed	Quad Core (1.6GHz), Dual Core (1.4GHz)	
Connectivity		
Standard	1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (host)	
Optional	HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A	
Wireless	Optional, enabled with purchase of a hardware accessory	
Mobile printing capability	Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print	
Supported network protocols	IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 or higher), AirPrint, SNMPv1/v2c/v3, HTTP, HTTPS, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLIP, LLNMR, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; HP Web Services	
Network capabilities	Standard (built-in Gigabit 10/100/1000T Ethernet)	
Hard disk	Standard, 32 GB eMMC; Optional, HP LaserJet 500 GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)	
Memory	Standard : 6 GB; Maximum : 6 GB	
Media handling		
Number of paper trays	Standard : 3 ; Maximum : 5	
Media types	Plain, HP EcoEFFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, Card stock 176-220g, Mono Transparency, Labels, Letterhead, Envelope, Preprinted, Pre punched, Colored	
Media size	Custom (metric) : Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 364 mm; Tray 3: 139.7 x 210 mm to 297 x 432 mm ; Supported (metric) : Tray 1: A3, A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16k, Postcard, Postcard (JIS), Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, Ra4, SRA4, B4 (JIS), B5 (JIS), Oficio, 16k; Tray 3: A3, A4, A4R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k ; ADF : Legal; Oficio; Executive; Statement; Ledger; A3; A4; A4R; A5; A6; B4; B5; B6; 16K; Dpostcard (JIS)	
Media handling	Standard input : 100-sheet multi-purpose tray, 2 x 520-sheet input tray Standard output : 500 sheet face-down output bin Optional input : Optional 2 x 520 sheet input tray ADF : Standard, 100 sheets	
Media weight	Tray 1: 60 to 176 g/m ² ; Tray 2, 3: 60 to 220 g/m ² ; ADF : 45 to 199 g/m ²	
Input capacity	Tray 1 : Sheets: 100; transparencies: 1; envelopes: 10 Tray 2 : Sheets: 520 Tray 3 : Sheets: 520 Maximum : Up to 2180 sheets (Tray1: up to 100 sheets; Tray 2, 3, 4 & 5: up to 520 sheets) ADF : Standard, 100 sheets	
Output capacity	Standard : Up to 500 sheets Envelopes: Up to 40 envelopes Transparencies: Up to 100 sheets Maximum : Up to 550 sheets (With inner finisher)	

Technical specifications

Model	HP LaserJet Managed MFP E73025dn	HP LaserJet Managed MFP E73030dn
Product number	3SJ03A	3SJ04A
Compatible operating systems	Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS	
Compatible network operating systems	Windows Server; Linux; Citrix; UNIX; Novell	
Minimum system requirements	Windows: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com	
Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com	
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs	
Printer management	HP Web JetAdmin Software, HP Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility - Driver ,Deployment Utility - Managed Printing Administrator)	
Dimensions and weight		
Printer dimensions (W x D x H)	Minimum 566 x 646 x 798 mm; Maximum: 1369 x 1196 x 1121 mm	
Printer weight	57.6 kg	
Operating environment	Temperature: 15 to 30°C; Humidity: 20 to 80% RH	
Storage conditions	Temperature: -10 to 40°C	
Acoustics	Acoustic power emissions: 6.63 Bel(A), printing simplex A4 at 25ppm; 6.75 Bel(A), printing simplex A4 at 30ppm; Acoustic pressure emissions: 51dB(A), printing simplex A4 at 25ppm; 52dB(A), printing simplex A4 at 30ppm	
Power	Requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 10.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 5.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier) ; Consumption: 510 watts (25ppm, printing), 560 watts (30ppm, printing), 29.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off) ; Typical Electricity Consumption (TEC): 0.334 kWh/Week (25ppm, Blue Angel), 0.415 kWh/Week (30ppm, Blue Angel); 0.341 kWh/Week (25ppm, Energy Star 3.0), 0.420 kWh/Week (30ppm, Energy Star 3.0) ; Power supply type: Internal (Built-in) power supply	
Energy savings feature technology	Power save	
Certifications	UL/cUL (US/Canada), ACA (Australia), TUV and GS Mark (Germany), Department of Industrial Standards of Cambodia, Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan), Certificate for China Compulsory Product Certification - CCC (China), Bureau of Indian Standards - BIS Registration (India), PSB Singapore, Eastern European country approvals, CE Marking and other Safety & EMC certification approvals as required by individual countries. Electromagnetic emission standard: CISPR 22:2008 (International) - Class A, CISPR 32:2015 (International) - Class A, EN 55032: 2015 (EU) - Class A, CISPR 11:2016, EN 55011:2016, EN 61000-3-2: 2019, EN 61000-3-3: 2013+A1:2019, EN 55024: 2010+A1:2015, EN 55035:2017+A1:2020, EN60601-1-2:2015, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A / ICES-003, Issue 7:2020 Class A, Other EMC approvals as required by individual countries CECP Telecom compliance: Optional telecom kit (BOSIB-1814-00 / BOISB-1814-01); TIA-968-B-3; FCC Part 68 (USA); IC CS-03 Part I Issue 9, Amendment 5, March 2016 (CANADA); ETSI ES 203 021-1 V2.1.1; ETSI ES 203 021-2 V2.1.2; ETSI ES 203 021-3 V2.1.2 (EU); TE-001 Issue 5 (South Africa); AS/CA S002"2010 (Australia); PTC 200:2006 (New Zealand), Other Telecom approvals as required by individual countries	
Country of origin	Made in China; Made in Mexico	
What's in the box	3SJ03A In box materials; Guide install, Flyer Regulatory, Power Cords, Label, Drums.	3SJ04A In box materials; Guide install, Flyer Regulatory, Power Cords, Label, Drums.
Warranty	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region.	

Footnotes

- ¹ Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.
- ² HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims
- ³ Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: <https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf>
- ⁴ HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details.
- ⁵ HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin
- ⁶ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ⁷ Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.
- ⁸ 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.
- ⁹ 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See hp.com/go/TonerRecycledContent for list.
- Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.
- ¹⁰ HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines.
- ¹¹ HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

Technical specifications disclaimers

- ¹ Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.
- ² Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁴ Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁵ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ⁶ For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)

